





- > Heavy duty waterproof cases
- > Heavy duty long / gun cases
- > Medium duty non waterproof cases
- > Customised protective foam solutions





# Heavy Duty Water Proof

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UW1909	L194 * W128 * H86	L215 * W166 * H98	67	19	0.43	No
02	UW1914	L190 * W126 * H135	L219 * W185 * H154	115	20	0.91	No
03	UW2111	L225 * W159 * H110	L252 * W218 * H122	76	34	0.90	No
04	UW2415	L239 * W181 * H153	L270 * W231 * H180	125	28	1.22	No
05	UW2510	L253 * W178 * H95	L274 * W225 * H113	70	25	1.00	No
06	UW2610	L256 * W182 * H96	L288 * W224 * H108	70	26	0.67	No
07	UW2612	L262 * W202 * H120	L293 * W245 * H130	90	30	0.75	No
08	UW2612L	L260 * W200 * H120	L279 * W234 * H126	85	35	0.77	No
09	UW2721	L265 * W172 * H213	L286 * W220 * H263	193	20	1.80	No
10	UW2812	L278 * W203 * H115	L305 * W269 * H147	85	30	1.50	No
11	UW2817	L278 * W203 * H165	L305 * W269 * H195	133	32	2.10	No
12	UW2919	L290 * W220 * H185	L325 * W279 * H207	135	50	1.50	No
13	UW3014	L297 * W176 * H144	L328 * W220 * H154	119	25	1.02	No
14	UW3021	L300 * W232 * H210	L324 * W282 * H222	173	37	1.48	No
15	UW3110	L305 * W205 * H98	L340 * W252 * H110	66	32	0.98	No
16	UW3112	L314 * W243 * H124	L340 * W310 * H152	98	26	2.26	No
17	UW3217	L325 * W215 * H172	L361 * W267 * H190	146	26	1.58	No
18	UW3313	L330 * W248 * H130	L360 * W310 * H150	95	30	1.89	No
19	UW3317	L330 * W231 * H165	L357 * W293 * H193	122	43	2.50	No
20	UW3409	L344 * W162 * H93	L365 * W203 * H106	66	27	0.72	No
21	UW3516	L331 * W350 * H164	L355 * W420 * H198	100	64	3.37	No
22	UW3517	L350 * W300 * H165	L385 * W358 * H175	130	35	1.90	No
23	UW3818	L376 * W306 * H183	L411 * W365 * H200	155	28	2.45	No
24	UW3924	L385 * W230 * H242	L410 * W275 * H295	177	65	3.20	No
25	UW4010	L399 * W154 * H100	L418 * W199 * H110	68	32	1.03	No
26	UW4018	L395 * W285 * H171	L420 * W345 * H185	130	41	1.90	No
27	UW4110	L410 * W320 * H95	L430 * W360 * H104	75	20	1.68	No
28	UW4114	L405 * W298 * H143	L443 * W350 * H156	102	41	1.82	No
29	UW4120	L408 * W278 * H200	L460 * W350 * H220	140	60	3.00	No
30	UW4214	L421 * W292 * H139	L450 * W350 * H160	99	40	2.05	No
31	UW4319	L430 * W290 * H194	L485 * W365 * H203	144	50	3.20	No

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight	Wheels and Trolley
32	UW4333	L433 * W330 * H325	L466 * W390 * H351	280	45	5.50	No
33	UW4418	L435 * W340 * H175	L470 * W415 * H200	125	50	2.40	No
34	UW4428	L435 * W340 * H275	L465 * W410 * H290	230	45	3.03	No
35	UW4431	L435 * W345 * H314	L470 * W415 * H340	264	50	4.32	No
36	UW4512	L446 * W345 * H121	L479 * W415 * H150	77	44	4.12	No
37	UW4515	L447 * W305 * H148	L480 * W374 * H167	100	48	3.26	No
38	UW4519	L446 * W345 * H186	L479 * W415 * H217	142	44	4.90	No
39	UW4521BP	L447 * W305 * H213	L490 * W374 * H230	165	48	4.30	No
40	UW4619	L462 * W372 * H190	L481 * W434 * H211	143	47	3.66	No
41	UW4625	L460 * W345 * H250	L541 * W422 * H302	200	50	4.46	No
42	UW4820	L480 * W370 * H200	L520 * W431 * H234	162	38	4.80	No
43	UW4820TR	L480 * W370 * H195	L530 * W435 * H240	160	35	6.50	Yes
44	UW5021TR	L498 * W338 * H207	L570 * W400 * H260	162	45	5.85	Yes
45	UW5120TR	L510 * W285 * H195	L560 * W355 * H230	150	45	6.05	Yes
46	UW5210	L515 * W175 * H100	L533 * W220 * H110	67	33	1.38	No
47	UW5217	L515 * W289 * H165	L560 * W350 * H180	120	45	3.23	No
48	UW5219TR	L522 * W275 * H185	L557 * W348 * H248	140	45	6.40	Yes
49	UW5225TR	L518 * W355 * H250	L580 * W420 * H300	200	50	7.00	Yes
50	UW5320TR	L530 * W310 * H200	L595 * W370 * H245	160	40	5.75	Yes
51	UW5321TR	L528 * W403 * H210	L580 * W460 * H255	170	40	6.30	Yes
52	UW5425TR	L540 * W407 * H248	L610 * W427 * H285	190	58	9.20	Yes
53	UW5530TR	L550 * W450 * H300	L620 * W520 * H360	250	50	8.82	Yes
54	UW5620	L560 * W432 * H204	L619 * W491 * H222	154	50	5.30	No
55	UW5827TR	L580 * W390 * H270	L670 * W450 * H310	220	50	8.60	Yes
56	UW5833TR	L584 * W440 * H328	L670 * W508 * H355	273	55	10.92	Yes
57	UW5921TR	L590 * W426 * H213	L683 * W493 * H260	163	50	6.99	Yes
58	UW6020TR	L600 * W455 * H200	L675 * W535 * H245	150	50	8.80	Yes
59	UW6029TR	L600 * W455 * H290	L675 * W535 * H342	240	50	9.30	Yes
60	UW6035TR	L600 * W455 * H350	L675 * W535 * H398	300	50	10.00	Yes
61	UW6230TR	L620 * W580 * H314	L700 * W660 * H360	254	60	10.80	Yes
62	UW6238TR	L620 * W580 * H380	L700 * W660 * H438	320	60	12.00	Yes
63	UW6259WH	L620 * W620 * H585	L684 * W684 * H640	455	130	16.80	Yes
64	UW6527TR	L648 * W400 * H270	L720 * W465 * H314	224	46	7.30	Yes
65	UW6620TR	L655 * W595 * H201	L727 * W658 * H241	170	31	10.86	Yes

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight	Wheels and Trolley
66	UW7427TR	L737 * W457 * H273	L797 * W518 * H313	226	47	11.50	Yes
67	UW7630TR	L762 * W483 * H297	L830 * W565 * H325	222	75	13.90	Yes
68	UW7640TR	L763 * W483 * H402	L850 * W565 * H429	326	76	15.40	Yes
69	UW7830TR	L778 * W500 * H300	L850 * W570 * H330	240	60	11.00	Yes
70	UW7939TR	L786 * W661 * H391	L847 * W722 * H432	300	91	15.00	Yes
71	UW8743WH	L868 * W595 * H426	L933 * W661 * H577	330	96	18.38	Yes

**UNICASE** Heavy Duty Water Proof

**UW1909**

**Internal :**  
L194 \* W128 \* H86 mm

**External :**  
L215 \* W166 \* H98 mm

**Bottom Depth :** 67 mm

**Lid Depth :** 19 mm

**Weight :** 0.43 Kgs

**Material :** Polypropylene

**Wheels :** No





[www.unicase.in](http://www.unicase.in) 01

**UNICASE** Heavy Duty Water Proof

**UW1914**

**Internal :**  
L190 \* W126 \* H135 mm

**External :**  
L219 \* W185 \* H154 mm

**Bottom Depth :** 115 mm

**Lid Depth :** 20 mm

**Weight :** 0.91 Kgs

**Material :** Polypropylene

**Wheels :** No





[www.unicase.in](http://www.unicase.in) 02

**UNICASE** Heavy Duty Water Proof

**UW2111**

**Internal :**  
L223 \* W159 \* H110 mm

**External :**  
L252 \* W218 \* H122 mm

**Bottom Depth :** 76 mm

**Lid Depth :** 34 mm

**Weight :** 0.90 Kgs

**Material :** Polypropylene

**Wheels :** No





[www.unicase.in](http://www.unicase.in) 03

**UNICASE** Heavy Duty Water Proof

**UW2415**

**Internal :**  
L239 \* W181 \* H153 mm

**External :**  
L265 \* W235 \* H175 mm

**Bottom Depth :** 125 mm

**Lid Depth :** 28 mm

**Weight :** 1.22 Kgs

**Material :** Polypropylene

**Wheels :** No





[www.unicase.in](http://www.unicase.in) 04

**UNICASE** Heavy Duty Water Proof

**UW2510**

**Internal :**  
L253 \* W178 \* H95 mm

**External :**  
L274 \* W225 \* H113 mm

**Bottom Depth :** 70 mm

**Lid Depth :** 25 mm

**Weight :** 1.00 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

05

**UNICASE** Heavy Duty Water Proof

**UW2610**

**Internal :**  
L256 \* W182 \* H96 mm

**External :**  
L288 \* W224 \* H108 mm

**Bottom Depth :** 70 mm

**Lid Depth :** 26 mm

**Weight :** 0.67 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

06

**UNICASE** Heavy Duty Water Proof

**UW2612**

**Internal :**  
L262 \* W202 \* H120 mm

**External :**  
L293 \* W245 \* H130 mm

**Bottom Depth :** 90 mm

**Lid Depth :** 30 mm

**Weight :** 0.76 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

07

**UNICASE** Heavy Duty Water Proof

**UW2612L**

**Internal :**  
L260 \* W200 \* H120 mm

**External :**  
L279 \* W234 \* H126 mm

**Bottom Depth :** 85 mm

**Lid Depth :** 35 mm

**Weight :** 0.77 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

08

**UNICASE** Heavy Duty Water Proof

**UW2721**

**Internal :**  
L265 \* W172 \* H213 mm

**External :**  
L286 \* W220 \* H263 mm

**Bottom Depth :** 193 mm

**Lid Depth :** 20 mm

**Weight :** 1.80 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

09

**UNICASE** Heavy Duty Water Proof

**UW2812**

**Internal :**  
L278 \* W203 \* H115 mm

**External :**  
L305 \* W269 \* H147 mm

**Bottom Depth :** 85 mm

**Lid Depth :** 30 mm

**Weight :** 1.50 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

10

**UNICASE** Heavy Duty Water Proof

**UW2817**

- Internal :**  
L275 \* W198 \* H165 mm
- External :**  
L278 \* W203 \* H195 mm
- Bottom Depth :** 133 mm
- Lid Depth :** 32 mm
- Weight :** 2.10 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

11

**UNICASE** Heavy Duty Water Proof

**UW2919**

- Internal :**  
L290 \* W220 \* H185 mm
- External :**  
L325 \* W279 \* H207 mm
- Bottom Depth :** 135 mm
- Lid Depth :** 50mm
- Weight :** 1.50 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

12

**UNICASE** Heavy Duty Water Proof

**UW3014**

- Internal :**  
L297 x W176 x H144 mm
- External :**  
L328 x W220 x H154 mm
- Bottom Depth :** 119 mm
- Lid Depth :** 25 mm
- Weight :** 1.02 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

13

**UNICASE** Heavy Duty Water Proof

**UW3021**

- Internal :**  
L300 x W232 x H210 mm
- External :**  
L324 x 282 x 222 mm
- Bottom Depth :** 173 mm
- Lid Depth :** 37 mm
- Weight :** 1.48 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

14

**UNICASE** Heavy Duty Water Proof

**UW3110**

- Internal :**  
L305 x W205 x H98 mm
- External :**  
L340 x W252 x H110 mm
- Bottom Depth :** 66 mm
- Lid Depth :** 32 mm
- Weight :** 0.98 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

15

**UNICASE** Heavy Duty Water Proof

**UW3112**

- Internal :**  
L314 x W243 x H124 mm
- External :**  
L340 x W310 x H152 mm
- Bottom Depth :** 98 mm
- Lid Depth :** 26 mm
- Weight :** 2.26 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

16

**UNICASE** Heavy Duty Water Proof

**UW3217**

- Internal :**  
L325 x W215 x H172 mm
- External :**  
L361 x W267 x H190 mm
- Bottom Depth :** 146 mm
- Lid Depth :** 26 mm
- Weight :** 1.59 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

17

**UNICASE** Heavy Duty Water Proof

**UW3313**

- Internal :**  
L330 \* W248 \* H130 mm
- External :**  
L360 \* W310 \* H150 mm
- Bottom Depth :** 95 mm
- Lid Depth :** 30 mm
- Weight :** 1.89 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

18

**UNICASE** Heavy Duty Water Proof

**UW3317**

- Internal :**  
L330 x W231 x H165 mm
- External :**  
L357 x W293 x H193 mm
- Bottom Depth :** 122 mm
- Lid Depth :** 43 mm
- Weight :** 2.50 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

19

**UNICASE** Heavy Duty Water Proof

**UW3409**

- Internal :**  
L344 x W162 x H93 mm
- External :**  
L365 x W203 x H106 mm
- Bottom Depth :** 66 mm
- Lid Depth :** 27 mm
- Weight :** 0.72 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

20

**UNICASE** Heavy Duty Water Proof

**UW3516**

- Internal :**  
L331 x W350 x H164 mm
- External :**  
L355 x W420 x H198 mm
- Bottom Depth :** 100 mm
- Lid Depth :** 64 mm
- Weight :** 3.37 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

21

**UNICASE** Heavy Duty Water Proof

**UW3517**

- Internal :**  
L350 x W300 x H165 mm
- External :**  
L385 x W358 x H175 mm
- Bottom Depth :** 130 mm
- Lid Depth :** 35 mm
- Weight :** 1.91 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

22

**UNICASE** Heavy Duty Water Proof

**UW3818**

- Internal :**  
L376 x W306 x H183 mm
- External :**  
L411 x W365 x H200 mm
- Bottom Depth :** 155 mm
- Lid Depth :** 28 mm
- Weight :** 2.45 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

23

**UNICASE** Heavy Duty Water Proof

**UW3924**

- Internal :**  
L385 x W230 x H242 mm
- External :**  
L410 x W275 x H295 mm
- Bottom Depth :** 177 mm
- Lid Depth :** 65 mm
- Weight :** 3.20 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

24

**UNICASE** Heavy Duty Water Proof

**UW4010**

- Internal :**  
L399 x W154 x H100 mm
- External :**  
L418 x W199 x H110 mm
- Bottom Depth :** 68 mm
- Lid Depth :** 32 mm
- Weight :** 1.03 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

25

**UNICASE** Heavy Duty Water Proof

**UW4018**

- Internal :**  
L395 x W285 x H171 mm
- External :**  
L420 x W345 x H185 mm
- Bottom Depth :** 130 mm
- Lid Depth :** 41 mm
- Weight :** 1.90 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

26

**UNICASE** Heavy Duty Water Proof

**UW4110**

- Internal :**  
L410 \* W320 \* H95 mm
- External :**  
L430 \* W360 \* H104 mm
- Bottom Depth :** 75 mm
- Lid Depth :** 20 mm
- Weight :** 1.68 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

27

**UNICASE** Heavy Duty Water Proof

**UW4114**

- Internal :**  
L405 x W298 x H143 mm
- External :**  
L443 x W350 x H156 mm
- Bottom Depth :** 102 mm
- Lid Depth :** 41 mm
- Weight :** 1.83 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

28

**UNICASE** Heavy Duty Water Proof

**UW4120**

- Internal :**  
L408 \* W278 \* H200 mm
- External :**  
L460 \* W350 \* H220 mm
- Bottom Depth :** 140 mm
- Lid Depth :** 60 mm
- Weight :** 3.00 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

29

**UNICASE** Heavy Duty Water Proof

**UW4214**

- Internal :**  
L421 x W292 x H139 mm
- External :**  
L450 x W350 x H160 mm
- Bottom Depth :** 99 mm
- Lid Depth :** 40 mm
- Weight :** 2.05 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

30

**UNICASE** Heavy Duty Water Proof

**UW4319**

- Internal :**  
L430 \* W290 \* H194 mm
- External :**  
L485 \* W365 \* H203 mm
- Bottom Depth :** 144 mm
- Lid Depth :** 50 mm
- Weight :** 3.20 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

31

**UNICASE** Heavy Duty Water Proof

**UW4333**

- Internal :**  
L433 x W330 x H325 mm
- External :**  
L466 x W390 x H351 mm
- Bottom Depth :** 280 mm
- Lid Depth :** 45 mm
- Weight :** 5.50 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

32

**UNICASE** Heavy Duty Water Proof

**UW4418**

- Internal :**  
L435 x W340 x H175 mm
- External :**  
L470 x W415 x H200 mm
- Bottom Depth :** 125 mm
- Lid Depth :** 50 mm
- Weight :** 2.40 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

33

**UNICASE** Heavy Duty Water Proof

**UW4428**

- Internal :**  
L435 x W340 x H275 mm
- External :**  
L465 x W410 x H290 mm
- Bottom Depth :** 230 mm
- Lid Depth :** 45 mm
- Weight :** 3.03 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

34

**UNICASE** Heavy Duty Water Proof

**UW4431**

- Internal :**  
L435 \* W345 \* H314 mm
- External :**  
L470 \* W415 \* H340 mm
- Bottom Depth :** 264 mm
- Lid Depth :** 50 mm
- Weight :** 4.32 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 35

**UNICASE** Heavy Duty Water Proof

**UW4512**

- Internal :**  
L446 x W345 x H121 mm
- External :**  
L479 x W415 x H150 mm
- Bottom Depth :** 77 mm
- Lid Depth :** 44 mm
- Weight :** 4.12 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 36

**UNICASE** Heavy Duty Water Proof

**UW4515**

- Internal :**  
L447 \* W305 \* H148 mm
- External :**  
L480 \* W374 \* H167 mm
- Bottom Depth :** 100 mm
- Lid Depth :** 48 mm
- Weight :** 3.27 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 37

**UNICASE** Heavy Duty Water Proof

**UW4519**

- Internal :**  
L446 x W345 x H186 mm
- External :**  
L479 x W415 x H217 mm
- Bottom Depth :** 142 mm
- Lid Depth :** 44 mm
- Weight :** 4.90 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 38

**UNICASE** Heavy Duty Water Proof

**UW4521BP**

- Internal :**  
L447 \* W305 \* H213 mm
- External :**  
L490 \* W374 \* H230 mm
- Bottom Depth :** 165 mm
- Lid Depth :** 48 mm
- Weight :** 4.30 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 39

**UNICASE** Heavy Duty Water Proof

**UW4619**

- Internal :**  
L462 x W372 x H190 mm
- External :**  
L481 x W434 x H211 mm
- Bottom Depth :** 143 mm
- Lid Depth :** 47 mm
- Weight :** 3.67 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in) 40

**UNICASE** Heavy Duty Water Proof

**UW4625**

**Internal :**  
L460 x W345 x H250 mm

**External :**  
L541 x W422 x H302 mm

**Bottom Depth :** 200 mm

**Lid Depth :** 50 mm

**Weight :** 4.46 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

41

**UNICASE** Heavy Duty Water Proof

**UW4820**

**Internal :**  
L480 x W370 x H200 mm

**External :**  
L520 \* W431 \* H234 mm

**Bottom Depth :** 162 mm

**Lid Depth :** 32 mm

**Weight :** 4.80 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

42

**UNICASE** Heavy Duty Water Proof

**UW4820TR**

**Internal :**  
L480 x W370 x H195 mm

**External :**  
L530 x W435 x H240 mm

**Bottom Depth :** 160 mm

**Lid Depth :** 35 mm

**Weight :** 6.30 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

43

**UNICASE** Heavy Duty Water Proof

**UW5021TR**

**Internal :**  
L498 x W338 x H207 mm

**External :**  
L570 x W400 x H260 mm

**Bottom Depth :** 162 mm

**Lid Depth :** 45 mm

**Weight :** 5.85 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

44

**UNICASE** Heavy Duty Water Proof

**UW5120TR**

**Internal :**  
L510 x W285 x H195 mm

**External :**  
L560 x W355 x H230 mm

**Bottom Depth :** 150 mm

**Lid Depth :** 45 mm

**Weight :** 6.05 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

45

**UNICASE** Heavy Duty Water Proof

**UW5210**

**Internal :**  
L515 x W175 x H100 mm

**External :**  
L533 x W220 x H110 mm

**Bottom Depth :** 67 mm

**Lid Depth :** 33 mm

**Weight :** 1.38 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

46

**UNICASE** Heavy Duty Water Proof

**UW5217**

- Internal :**  
L515 x W289 x H165 mm
- External :**  
L560 x W350 x H180 mm
- Bottom Depth :** 120 mm
- Lid Depth :** 45 mm
- Weight :** 3.23 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

47

**UNICASE** Heavy Duty Water Proof

**UW5219TR**

- Internal :**  
L522 x W275 x H185 mm
- External :**  
L557 x W348 x H248 mm
- Bottom Depth :** 140 mm
- Lid Depth :** 45 mm
- Weight :** 6.40 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

48

**UNICASE** Heavy Duty Water Proof

**UW5225TR**

- Internal :**  
L518 \* W355 \* H250 mm
- External :**  
L580 \* W420 \* H300 mm
- Bottom Depth :** 200 mm
- Lid Depth :** 50 mm
- Weight :** 7.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

49

**UNICASE** Heavy Duty Water Proof

**UW5320TR**

- Internal :**  
L530 x W310 x H200 mm
- External :**  
L595 x W370 x H245 mm
- Bottom Depth :** 160 mm
- Lid Depth :** 40 mm
- Weight :** 5.75 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

50

**UNICASE** Heavy Duty Water Proof

**UW5321TR**

- Internal :**  
L528 \* W403 \* H210 mm
- External :**  
L580 \* W460 \* H255 mm
- Bottom Depth :** 170 mm
- Lid Depth :** 40 mm
- Weight :** 6.30 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

51

**UNICASE** Heavy Duty Water Proof

**UW5425TR**

- Internal :**  
L540 x W407 x H248 mm
- External :**  
L610 x W427 x H285 mm
- Bottom Depth :** 190 mm
- Lid Depth :** 58 mm
- Weight :** 9.20 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

52

**UNICASE** Heavy Duty Water Proof

**UW5530TR**

- Internal :**  
L550 x W450 x H300 mm
- External :**  
L620 x W520 x H360 mm
- Bottom Depth :** 250 mm
- Lid Depth :** 50 mm
- Weight :** 8.82 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

53

**UNICASE** Heavy Duty Water Proof

**UW5620**

- Internal :**  
L560 x W432 x H204 mm
- External :**  
L619 x W491 x H222 mm
- Bottom Depth :** 154 mm
- Lid Depth :** 50 mm
- Weight :** 5.30 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

54

**UNICASE** Heavy Duty Water Proof

**UW5827TR**

- Internal :**  
L580 \* W390 \* H270 mm
- External :**  
L670 \* W450 \* H310 mm
- Bottom Depth :** 220 mm
- Lid Depth :** 50 mm
- Weight :** 8.60 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

55

**UNICASE** Heavy Duty Water Proof

**UW5833TR**

- Internal :**  
L584 x W440 x H328 mm
- External :**  
L670 x W508 x H355 mm
- Bottom Depth :** 273 mm
- Lid Depth :** 55 mm
- Weight :** 10.92 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

56

**UNICASE** Heavy Duty Water Proof

**UW5921TR**

- Internal :**  
L590 x W426 x H213 mm
- External :**  
L683 x W493 x H260 mm
- Bottom Depth :** 163 mm
- Lid Depth :** 50 mm
- Weight :** 6.99 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

57

**UNICASE** Heavy Duty Water Proof

**UW6020TR**

- Internal :**  
L600 \* W455 \* H200 mm
- External :**  
L675 \* W535 \* H245 mm
- Bottom Depth :** 150 mm
- Lid Depth :** 50 mm
- Weight :** 8.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

58

**UNICASE** Heavy Duty Water Proof

**UW6029TR**

- Internal :**  
L600 \* W455 \* H290 mm
- External :**  
L675 \* W535 \* H342 mm
- Bottom Depth :** 240 mm
- Lid Depth :** 50 mm
- Weight :** 9.30 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

59

**UNICASE** Heavy Duty Water Proof

**UW6035TR**

- Internal :**  
L600 \* W455 \* H350 mm
- External :**  
L675 \* W535 \* H398 mm
- Bottom Depth :** 300 mm
- Lid Depth :** 50 mm
- Weight :** 10.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

60

**UNICASE** Heavy Duty Water Proof

**UW6230TR**

- Internal :**  
L620 \* W580 \* H314 mm
- External :**  
L700 \* W660 \* H360 mm
- Bottom Depth :** 254 mm
- Lid Depth :** 60 mm
- Weight :** 10.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

61

**UNICASE** Heavy Duty Water Proof

**UW6238TR**

- Internal :**  
L620 \* W580 \* H380 mm
- External :**  
L700 \* W660 \* H438 mm
- Bottom Depth :** 320 mm
- Lid Depth :** 60 mm
- Weight :** 12.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

62

**UNICASE** Heavy Duty Water Proof

**UW6259WH**

- Internal :**  
L620 x W620 x H585 mm
- External :**  
684 x W684 x H640 mm
- Bottom Depth :** 455 mm
- Lid Depth :** 130 mm
- Weight :** 16.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

63

**UNICASE** Heavy Duty Water Proof

**UW6527TR**

- Internal :**  
L648 x W400 x H270 mm
- External :**  
L720 x W465 x H314 mm
- Bottom Depth :** 224 mm
- Lid Depth :** 46 mm
- Weight :** 7.31 Kgs
- Material :** Polypropylene
- Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

64

**UNICASE** Heavy Duty Water Proof

**UW6620TR**

**Internal :**  
L655 x W595 x H201 mm

**External :**  
L727 x W658 x H241 mm

**Bottom Depth :** 170 mm

**Lid Depth :** 31 mm

**Weight :** 10.86 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

65

**UNICASE** Heavy Duty Water Proof

**UW7427TR**

**Internal :**  
L737 x W457 x H273 mm

**External :**  
L797 x W518 x H313 mm

**Bottom Depth :** 226 mm

**Lid Depth :** 47 mm

**Weight :** 11.50 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

66

**UNICASE** Heavy Duty Water Proof

**UW7630TR**

**Internal :**  
L762 x W483 x H297 mm

**External :**  
L830 x W565 x H325 mm

**Bottom Depth :** 222 mm

**Lid Depth :** 75 mm

**Weight :** 13.90 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

67

**UNICASE** Heavy Duty Water Proof

**UW7640TR**

**Internal :**  
L763 x W483 x H402 mm

**External :**  
L850 x W565 x H429 mm

**Bottom Depth :** 326 mm

**Lid Depth :** 76 mm

**Weight :** 15.40 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

68

**UNICASE** Heavy Duty Water Proof

**UW7830TR**

**Internal :**  
L778 \* W500 \* H300 mm

**External :**  
L850 \* W570 \* H330 mm

**Bottom Depth :** 240 mm

**Lid Depth :** 60 mm

**Weight :** 11.00 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

69

**UNICASE** Heavy Duty Water Proof

**UW7939TR**

**Internal :**  
L786 x W661 x H391 mm

**External :**  
L847 x W722 x H432 mm

**Bottom Depth :** 300 mm

**Lid Depth :** 91 mm

**Weight :** 15.00 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

70

**UNICASE** Heavy Duty Water Proof

**UW8743WH**

**Internal :**  
L868 x W595 x H426 mm

**External :**  
L933 x W661 x H577 mm

**Bottom Depth :** 330 mm

**Lid Depth :** 96 mm

**Weight :** 18.38 Kgs

**Material :** Polypropylene

**Wheels :** Yes





[www.unicase.in](http://www.unicase.in) 71

**UNICASE** Heavy Duty Long

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UL9315TR	L930 * W356 * H152	L978 * W419* H173	111	41	6.40	Yes
02	UL9616TR	L960 * W500 * H158	L1018 * W503 * H189	116	42	7.37	Yes
03	UL10413TR	L1042 * W352 * H132	L1098 * W415 * H155	91	41	4.95	Yes
04	UL10632TR	L1061 * W348 * H318	L1116 * W404 * H341	253	65	8.28	Yes
05	UL11218TR	L1120 * W465 * H180	L1190 * W534 * H212	125	55	8.90	Yes
06	UL12210	L1220 * W230 * H100	L1252 * W294* H130	70	30	6.10	No
07	UL11413TR	L1138 * W351 * H133	L1189 * W405 * H160	93	40	9.6	Yes
08	UL13113TR	L1308 * W321 * H133	L1387 * W394 * H152	83	50	8.40	Yes

**UNICASE** Heavy Duty Long

**UL9315TR**

**Internal :**  
L930 \* W356 \* H152 mm

**External :**  
L978 \* W419 \* H173 mm

**Bottom Depth :** 111mm

**Lid Depth :** 41 mm

**Weight :** 6.40 Kgs

**Material :** Polypropylene

**Wheels :** Yes





[www.unicase.in](http://www.unicase.in) 01

**UNICASE** Heavy Duty Long

**UL9616TR**

**Internal :**  
L960 x W500 x H158 mm

**External :**  
L1018 x W503 x H189 mm

**Bottom Depth :** 116mm

**Lid Depth :** 42 mm

**Weight :** 7.37 Kgs

**Material :** Polypropylene

**Wheels :** Yes





[www.unicase.in](http://www.unicase.in) 02

**UNICASE** Heavy Duty Long

**UL10413TR**

**Internal :**  
L1042 \* W352 \* H132 mm

**External :**  
L1098 \* W415 \* H155 mm

**Bottom Depth :** 91mm

**Lid Depth :** 41 mm

**Weight :** 4.95 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

03

**UNICASE** Heavy Duty Long

**UL10632TR**

**Internal :**  
L1061 x W348 x H318 mm

**External :**  
L1116 x W404 x H341 mm

**Bottom Depth :** 253 mm

**Lid Depth :** 65 mm

**Weight :** 8.28 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

04

**UNICASE** Heavy Duty Long

**UL11218TR**

**Internal :**  
L1120 \* W465 \* H180 mm

**External :**  
L1190 \* W534 \* H212 mm

**Bottom Depth :** 125mm

**Lid Depth :** 55 mm

**Weight :** 8.90 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

05

**UNICASE** Heavy Duty Long

**UL11413TR**

**Internal :**  
L1138 \* W351 \* H133 mm

**External :**  
L1189 \* W405 \* H160 mm

**Bottom Depth :** 93 mm

**Lid Depth :** 40 mm

**Weight :** 9.60 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

07

**UNICASE** Heavy Duty Long

**UL12210**

**Internal :**  
L1220 \* W230 \* H100 mm

**External :**  
L1252 \* W294 \* H130 mm

**Bottom Depth :** 70mm

**Lid Depth :** 30 mm

**Weight :** 6.10 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

06

**UNICASE** Heavy Duty Long

**UL13113TR**

**Internal :**  
L1308 \* W321 \* H133 mm

**External :**  
L1387 \* W394 \* H152 mm

**Bottom Depth :** 83mm

**Lid Depth :** 50 mm

**Weight :** 8.40 Kgs

**Material :** Polypropylene

**Wheels :** Yes



[www.unicase.in](http://www.unicase.in)

08

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UN2012	L195 * W175 * H116	L209 * W235 * H120	58	58	0.47	No
02	UN2207	L215 * W110 * H70	L220 * W168 * H82	35	35	0.31	No
03	UN2304	L226 * W140 * H40	L232 * W192 * H53	20	20	0.30	No
04	UN2407	L243 * W160 * H66	L250 * W215 * H77	33	33	0.41	No
05	UN2607	L255 * W155 * H69	L268 * W210 * H77	37	32	0.34	No
06	UN2708	L270 * W175 * H76	L275 * W230 * H88	38	38	0.49	No
07	UN3106	L310 * W203 * H62	L320 * W270 * H76	31	31	0.67	No
09	UN3110	L310 * W215 * H98	L316 * W290 * H108	54	44	0.69	No
09	UN3113	L310 * W203 * H117	L320 * W270 * H130	86	31	0.84	No
10	UN3117	L310 * W203 * H172	L320 * W270* H185	86	86	0.98	No
11	UN3207	L324 * W219 * H74	L330 * W287 * H87	37	37	0.78	No
12	UN3408	L340 * W190 * H80	L354 * W261 * H86	40	40	0.65	No
13	UN3809	L380 * W277 * H90	L388 * W343 * H102	45	45	1.10	No
14	UN4020	L400 * W277 * H198	L413 * W352 * H206	99	99	1.28	No
15	UN4209	L420 * W245 * H90	L427 * W311 * H96	45	45	0.76	No
16	UN4211	L420 * W245 * H108	L427 * W311 * H114	54	54	0.79	No
17	UN4314	L430 * W330 * H140	L450 * W373 * H153	70	70	1.48	No
18	UN4410	L442 * W297 * H104	L448 * W363 * H116	52	52	1,31	No
19	UN4412	L442 * W265 * H124	L447 * W333 * H130	62	62	0.93	No
20	UN4413	L442 * W297 * H122	L448 * W363 * H135	70	52	1.39	No
21	UN4414	L442 * W297 * H140	L448 * W363 * H148	70	70	1.48	No
22	UN4713	L468 * W297 * H134	L475 * W366 * H140	67	67	1.32	No
23	UN5217	L520 * W330 * H170	L546 * W380 * H183	85	85	2.22	No
24	UN5312	L527 * W285 * H124	L533 * W348 * H131	62	62	1.96	No
25	UN5918	L590 * W390 * H180	L611 * W440 * H193	90	90	2.49	No

**UNICASE** Non Water Proof

**UN2012**

**Internal :**  
L195 \* W175 \* H116 mm

**External :**  
L209 \* W235 \* H120 mm

**Bottom Depth :** 58 mm

**Lid Depth :** 58 mm

**Weight :** 0.47 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

01

**UNICASE** Non Water Proof

**UN2207**

**Internal :**  
L215 \* W110 \* H70 mm

**External :**  
L220 \* W168 \* H82 mm

**Bottom Depth :** 35 mm

**Lid Depth :** 35 mm

**Weight :** 0.31 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

02

**UNICASE** Non Water Proof

**UN2304**

**Internal :**  
L226 \* W140 \* H40 mm

**External :**  
L232 \* W192 \* H53 mm

**Bottom Depth :** 20 mm

**Lid Depth :** 20 mm

**Weight :** 0.30 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

03

**UNICASE** Non Water Proof

**UN2407**

**Internal :**  
L243 \* W160 \* H66 mm

**External :**  
L250 \* W215 \* H77 mm

**Bottom Depth :** 33 mm

**Lid Depth :** 33 mm

**Weight :** 0.41 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

04

**UNICASE** Non Water Proof

**UN2607**

**Internal :**  
L255 \* W155 \* H69 mm

**External :**  
L268 \* W210 \* H77 mm

**Bottom Depth :** 37 mm

**Lid Depth :** 32 mm

**Weight :** 0.34 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

05

**UNICASE** Non Water Proof

**UN2708**

**Internal :**  
L270 \* W175 \* H76 mm

**External :**  
L275 \* W230 \* H88 mm

**Bottom Depth :** 30 mm

**Lid Depth :** 38 mm

**Weight :** 0.49 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

06

**UNICASE** Non Water Proof

**UN3106**

**Internal :**  
L310 \* W203 \* H62 mm

**External :**  
L320 \* W270 \* H76 mm

**Bottom Depth :** 31 mm

**Lid Depth :** 31 mm

**Weight :** 0.67 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

07

**UNICASE** Non Water Proof

**UN3110**

**Internal :**  
L310 \* W215 \* H98 mm

**External :**  
L316 \* W290 \* H108 mm

**Bottom Depth :** 54 mm

**Lid Depth :** 44 mm

**Weight :** 0.69 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

08

**UNICASE** Non Water Proof

**UN3113**

**Internal :**  
L310 \* W203 \* H117 mm

**External :**  
L320 \* W270 \* H130 mm

**Bottom Depth :** 86 mm

**Lid Depth :** 31 mm

**Weight :** 0.84 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

09

**UNICASE** Non Water Proof

**UN3117**

**Internal :**  
L310 \* W203 \* H172 mm

**External :**  
L320 \* W270 \* H185 mm

**Bottom Depth :** 86 mm

**Lid Depth :** 86 mm

**Weight :** 0.98 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

10

**UNICASE** Non Water Proof

**UN3207**

**Internal :**  
L324 \* W219 \* H74 mm

**External :**  
L330 \* W287 \* H87 mm

**Bottom Depth :** 37 mm

**Lid Depth :** 37 mm

**Weight :** 0.78 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

11

**UNICASE** Non Water Proof

**UN3408**

**Internal :**  
L340 \* W190 \* H80 mm

**External :**  
L354 \* W261 \* H86 mm

**Bottom Depth :** 40 mm

**Lid Depth :** 40 mm

**Weight :** 0.66 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

12

**UNICASE** Non Water Proof

**UN3809**

- Internal :**  
L380 \* W277 \* H90 mm
- External :**  
L388 \* W343 \* H102 mm
- Bottom Depth :** 45 mm
- Lid Depth :** 45 mm
- Weight :** 1.10 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

13

**UNICASE** Non Water Proof

**UN4020**

- Internal :**  
L400 \* W277 \* H198 mm
- External :**  
L413 \* W352 \* H206 mm
- Bottom Depth :** 99 mm
- Lid Depth :** 99 mm
- Weight :** 1.28 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

14

**UNICASE** Non Water Proof

**UN4209**

- Internal :**  
L420 \* W245 \* H90 mm
- External :**  
L427 \* W311 \* H96 mm
- Bottom Depth :** 45 mm
- Lid Depth :** 45 mm
- Weight :** 0.77 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

15

**UNICASE** Non Water Proof

**UN4211**

- Internal :**  
L420 \* W245 \* H108 mm
- External :**  
L427 \* W311 \* H114 mm
- Bottom Depth :** 54 mm
- Lid Depth :** 54 mm
- Weight :** 0.80 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

16

**UNICASE** Non Water Proof

**UN4314**

- Internal :**  
L430 \* W330 \* H140 mm
- External :**  
L450 \* W373 \* H153 mm
- Bottom Depth :** 70 mm
- Lid Depth :** 70 mm
- Weight :** 1.49 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

17

**UNICASE** Non Water Proof

**UN4410**

- Internal :**  
L442 \* W297 \* H104 mm
- External :**  
L448 \* W363 \* H116 mm
- Bottom Depth :** 52 mm
- Lid Depth :** 52 mm
- Weight :** 1.31 Kgs
- Material :** Polypropylene
- Wheels :** No



[www.unicase.in](http://www.unicase.in)

18

**UNICASE** Non Water Proof

**UN4412**

**Internal :**  
L442 \* W265 \* H124 mm

**External :**  
L447 \* W333 \* H130 mm

**Bottom Depth :** 62 mm

**Lid Depth :** 62 mm

**Weight :** 0.94 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

19

**UNICASE** Non Water Proof

**UN4413**

**Internal :**  
L442 \* W297 \* H122 mm

**External :**  
L448 \* W363 \* H135 mm

**Bottom Depth :** 70 mm

**Lid Depth :** 52 mm

**Weight :** 1.39 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

20

**UNICASE** Non Water Proof

**UN4414**

**Internal :**  
L442 \* W297 \* H140 mm

**External :**  
L448 \* W363 \* H148 mm

**Bottom Depth :** 70 mm

**Lid Depth :** 70 mm

**Weight :** 1.48 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

21

**UNICASE** Non Water Proof

**UN4713**

**Internal :**  
L468 \* W297 \* H134 mm

**External :**  
L475 \* W366 \* H140 mm

**Bottom Depth :** 67 mm

**Lid Depth :** 67 mm

**Weight :** 1.33 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

22

**UNICASE** Non Water Proof

**UN5217**

**Internal :**  
L520 \* W330 \* H170 mm

**External :**  
L546 \* W380 \* H183 mm

**Bottom Depth :** 85 mm

**Lid Depth :** 85 mm

**Weight :** 2.22 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

23

**UNICASE** Non Water Proof

**UN5312**

**Internal :**  
L527 \* W285 \* H124 mm

**External :**  
L533 \* W348 \* H131 mm

**Bottom Depth :** 62 mm

**Lid Depth :** 62 mm

**Weight :** 1.97 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

24

**UN5918**

**Internal :**  
L590 \* W390 \* H180 mm

**External :**  
L611 \* W440 \* H193 mm

**Bottom Depth :** 90 mm

**Lid Depth :** 90 mm

**Weight :** 2.49 Kgs

**Material :** Polypropylene

**Wheels :** No



[www.unicase.in](http://www.unicase.in)

25